



PRODUCT-DETAILS

THQL1130

Plug-in Breaker



General Information	
Global Commercial Alias	THQL1130
Extended Product Type	THQL1130
Product ID	1TQQ011030X0100
EAN	78316401287
Catalog Description	Plug-in Breaker
Long Description	Q line circuit breakers are one-inch wide per pole, compact, thermal-magnetic devices designed for residential and commercial applications. The QL breakers are plug-in versions of the Q Line used for connection to load centers and lighting panels. All Q Line circuit breakers feature Quick-make / Quick-break mechanisms, common trip bars, and easy to spot trip indication to ensure safety and reliability. Q Line breakers are available in 1, 2, and 3 pole versions, can be ordered with auxiliary contact and shunt trip accessories, and can be ordered for use in HID applications.

Material Compliance	
RoHS Status	No declaration needed
REACH Information	No data - If REACH inform is not yet available for a certain product
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	1.000 in
Product Net Height	3.375 in
Product Net Depth / Length	3.000 in
Product Net Weight	0.350 lb

Ordering

Package Level 1 Units	box 10 piece
Package Level 1 Gross Weight	3.600 lb

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	9AKK107680A9941
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	9AKK107680A9941
-----------------------------------	-----------------

Classifications

ETIM 8	EC000228 - Power circuit-breaker for trafo/generator/installation protection
ETIM 9	EC000228 - Power circuit-breaker for trafo/generator/installation protection
WEEE Category	Product Not in WEEE Scope
UNSPSC	39121601
eClass	V11.0 : 27370409
IDEA Granular Category Code (IGCC)	4825 >> 1 Pole Standard Trip Plug-In Circuit Breakers

Categories

Low Voltage Products and Systems → NEMA Residential and Commercial Portfolio → Residential Breakers → MCB

